



Tecnica, a special series providing efficient anti-slip protection assuring safety and solidity. Thanks to its unglazed structure it is extremely durable and resistant to wear and tear in high traffic areas.

**PRODUCT TYPE**: Unglazed porcelain

COLOURS: Light Grey, Charcoal, Fine Black and

Mono Black

**SIZES:** 100x200mm (Cove) 200x200mm and

100x100mm (Mosaic) Non-Rectified edges

FINISHES/USAGE: Matt, Pro and Diamond/Floor

AESTHETIC QUALITIES: Unglazed porcelain for commercial use

**TECHINICAL INFO:** P3 Pendulum slip rating (Matt)

P4 Pendulum slip rating (Pro)

P5 Pendulum slip rating (Diamond) More technical data on the last page.

ORIGIN: Turkey

VARIATION:



**CERTIFICATIONS:** 










# PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm	MATT	P3 Pendulum	NON-RECTIFIED
100x100mm	MATT MOSAIC	P3 Pendulum	NON-RECTIFIED
200x200mm	PRO	P4 Pendulum	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED

# **FORMATS**



# **LIGHT GREY**



MATT AND PRO

MATT MOSAICS




COVE




# PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm	MATT	P3 Pendulum	NON-RECTIFIED
100x100mm	MATT MOSAIC	P3 Pendulum	NON-RECTIFIED
200x200mm	PRO	P4 Pendulum	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED

# **FORMATS**



# **MONO BLACK**



MATT AND PRO

MATT MOSAICS



COVE



#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm	MATT	P3 Pendulum	NON-RECTIFIED
100x100mm	MATT MOSAIC	P3 Pendulum	NON-RECTIFIED
200x200mm	PRO	P4 Pendulum	NON-RECTIFIED
200x200mm	DIAMOND	P5 Pendulum	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED

# **FORMATS**

100x100mm 100x200mm

# **CHARCOAL**



MATT MOSAICS

MATT AND PRO




COVE DIAMOND



# PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm	MATT	P3 Pendulum	NON-RECTIFIED
100x100mm	MATT MOSAIC	P3 Pendulum	NON-RECTIFIED
200x200mm	PRO	P4 Pendulum	NON-RECTIFIED
200x200mm	DIAMOND	P5 Pendulum	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED


# **FORMATS**



# **FINE BLACK**



MATT AND PRO MATT MOSAICS





#### **TECHNICAL DATA**

	technical characteristics	test method	required values	value
888	water absorption	iso 10545-3	≤ 0,5%	≤ 0,5% (Approx. 0,05%)
***	frost resistance	iso 10545-12	no alterations	resistant
<u>B</u> C	breaking strength (S)	iso 10545-4	Min. 1300N For thickness≥ 7,5mm Min. 700N For thickness<7,5mm	>700N (100x100mm) >1300N (200x200mm +300x300mm)
± <b>[</b>	thermal shock resistance	iso 10545-9	test method available	resistant
<b>.</b> .	stain resistance	iso 10545-14	test method available	class 3

#### **CERTIFICATIONS**



The GREENGUARD Environmental Institute is an industry-independent organisation with a mission to improve indoor air quality and reduce people's exposure to chemicals and other pollutants. As an ISO-IEC Guide 65:1996 accredited, third-party organization, the GREENGUARD Environmental Institute certifies products and materials for low chemical emissions and provides a resource for choosing healthier products and materials for indoor environments. Certified products must meet chemical emissions standards based on established criteria from key public health agencies.



A European Union ecological quality mark that guarantees lower energy consumption in production processes, lower atmospheric and wastewater emissions, use of substances that are not dangerous for humans and the environment, use of quarries with correct environmental management, more effective consumer information and improved waste management.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.