#### skheme®

# **Westminster**



PRODUCT TYPE:	Ceramic Wall Tile		
COLOURS:	White and Black		
SIZES:	100x200mm Non-Rectified edges		
FINISHES/USAGE:	Gloss/Wall only		
ESTHETIC QUALITIES:	Gloss beveled, art deco		
TECHINICAL INFO:	More technical data on the last page		
ORIGIN:	Turkey		
VARIATION:			

Referencing the popular subway tiles from the Art Deco period, the WESTMINSTER in black and white have a timeless style. A historic look or contemporary look are achievable with the flexibility of this classic tile.

V1




# Westminster

#### PRODUCT SPECIFICATIONS


SIZES	FINISHES	TILE EDGE
100X200mm	GLOSS	NON-RECTIFIED

#### FORMATS

100x200mm		




WHITE GLOSS



**BLACK GLOSS** 




## Westminster



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



### Westminster



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

#### skheme®

## Westminster

#### TECHNICAL DATA

	technical characteristics	test method	required values	value
۵ ۵ ۵ ۵ ۵	water absorption	iso 10545-3	0,5% <e 3%<="" th=""><th>0,5%<e 3%<="" th=""></e></th></e>	0,5% <e 3%<="" th=""></e>
	frost resistance	iso 10545-12	no alterations	resistant
Ĝĉ	breaking strength (S)	iso 10545-4	Min. 1300N For thickness 7,5mm Min. 700N For thickness<7,5mm	>700N
±∎	thermal shock resistance	iso 10545-9	test method available	resistant
	chemical resistance	iso 10545-13	resistant	resistant
2	stain resistance	iso 10545-14	test method available	class 3
<b>O</b>	surface abrasion	iso 10545-7	Report Abrasion Class and cycles passed	PEI 1-4

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017" For more information please refer to: https://www.safework.nsw.gov.au