

skheme®

basics non-rectified




basics non-rectified



white



black



indoor only



wall only



V1

PRODUCT SPECIFICATIONS	format	size	finish	thickness	slip rating	colour
	subway	75x150mm	matt gloss	7mm	N/A	all colours
	subway	100x200mm	gloss	7mm	N/A	all colours
	tile	100x200mm	matt	7mm	N/A	white
	brick	100x300mm	matt gloss	7mm	N/A	all colours
	tile	200x200mm	gloss	7mm	N/A	white
MATERIAL	ceramic					
VARIATION	V1					
TILE EDGE	non-rectified					

Colours shown in images may differ due to variations in photographic conditions and screen displays. Samples provided may not accurately reflect the exact shade or batch supplied, as variation is an inherent property of tiles and stone. Listed sizes and thicknesses are nominal and may vary slightly from actual working dimensions.

available sizes




75x150mm



100x200mm



100x300mm





pictured: white

JJ's Waste & Recycling
designed: Crest Interiors



technical data

properties	test method	value
WATER ABSORPTION	ISO 10545-3	≤10%
MODULAS OF RUPTURE	ISO 10545-4	≥12 N/mm²
BREAKING STRENGTH	ISO 10545-4	600 N
ABRASION RESISTANCE	ISO 10545-7	Class 3
RESISTANCE TO CHEMICALS	ISO 10545-13	GA/GLA
RESISTANCE TO STAINING	ISO 10545-14	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



The information provided in this Technical Data Sheet is given in good faith and reflects current knowledge and experience. It is intended as a general guide and may be updated without notice. Users are responsible for ensuring the product's suitability for their specific application and for compliance with all relevant local building codes, Australian Standards, and regulations. This information is offered for guidance purposes only and does not constitute any representation or warranty, express or implied. Any applicable warranties are governed solely by the terms and conditions of sale and relevant statutory requirements under Australian Consumer Law.