

skheme®



buxi


buxi




ivory



silver



grey




black



300x300mm



300x600mm



600x600mm



P3 slip rating



V2

PRODUCT SPECIFICATIONS						
format	size	finish	thickness	slip rating	colour	
tile	300x300mm	matt	9mm	P3	all colours	
tile	300x600mm	matt	9mm	P3	all colours	
tile	600x600mm	matt	9mm	P3	all colours	
MATERIAL					glazed porcelain	
VARIATION					V2	
TILE EDGE					rectified	

Colours shown in images may differ due to variations in photographic conditions and screen displays. Samples provided may not accurately reflect the exact shade or batch supplied, as variation is an inherent property of tiles and stone. Listed sizes and thicknesses are nominal and may vary slightly from actual working dimensions.



pictured: ivory

Tribe Hair Salon Chatswood Chase
designed: David Selden Design Studio



left pictured: grey
right pictured: grey

Atmophere Gym
designed: Alicia Xiberras Interiors





pictured: black

Novotel Sydney Cabramatta
designed: Atlis Architecture



technical data

properties	test method	prescribed value	value
WATER ABSORPTION	ISO 10545-3	≤0.5%	≤0.3%
BENDING STRENGTH	ISO 10545-4	≥12 MPa	≥38 MPa
BREAKING STRENGTH	ISO 10545-4	≥1100 N	≥1300 N
ABRASION RESISTANCE	ISO 10545-7	Max. 175 mm³ PEI 1-5	Class 3
RESISTANCE TO CHEMICALS	ISO 10545-13	Household chemicals & swimming pool salts	GA
		Low concentration of acids & alkalis	GLA
RESISTANCE TO STAINING	ISO 10545-14	Minimum class 3	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. It intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.



Club Marconi Amenities
designed: Squillace Architecture

The information provided in this Technical Data Sheet is given in good faith and reflects current knowledge and experience. It is intended as a general guide and may be updated without notice. Users are responsible for ensuring the product's suitability for their specific application and for compliance with all relevant local building codes, Australian Standards, and regulations. This information is offered for guidance purposes only and does not constitute any representation or warranty, express or implied. Any applicable warranties are governed solely by the terms and conditions of sale and relevant statutory requirements under Australian Consumer Law.