


skheme®

chelsea



# chelsea



white



vanilla



mist




taupe




frost



blue




terra



laurel



mink



mosaic

100x100mm



76x306mm



sustainable



mosaic



indoor only



wall only



V1

| PRODUCT SPECIFICATIONS | format        | size       | finish | thickness | slip rating | colour                         |
|------------------------|---------------|------------|--------|-----------|-------------|--------------------------------|
|                        | brick         | 76x306mm   | gloss  | 8mm       | N/A         | all colours                    |
|                        | brick         | 76x306mm   | satın  | 8mm       | N/A         | white   vanilla   mist   taupe |
|                        | mosaic        | 100x100mm* | gloss  | 8mm       | N/A         | all colours                    |
|                        | mosaic        | 100x100mm* | satın  | 8mm       | N/A         | white   vanilla   mist   taupe |
| MATERIAL               | ceramic       |            |        |           |             |                                |
| VARIATION              | V1            |            |        |           |             |                                |
| TILE EDGE              | non-rectified |            |        |           |             |                                |

\* 100x100mm mosaics are available in a sheet size of 300x300mm

Colours shown in images may differ due to variations in photographic conditions and screen displays. Samples provided may not accurately reflect the exact shade or batch supplied, as variation is an inherent property of tiles and stone. Listed sizes and thicknesses are nominal and may vary slightly from actual working dimensions.

available sizes

---



100x100mm



76x306mm



left pictured: white  
right pictured: white



# technical data

| properties              | test method  | prescribed value                          | value   |
|-------------------------|--------------|-------------------------------------------|---------|
| WATER ABSORPTION        | ISO 10545-3  | ≥10%                                      | 13-16%  |
| BENDING STRENGTH        | ISO 10545-4  | ≥15 MPa                                   | ≥25 MPa |
| BREAKING STRENGTH       | ISO 10545-4  | ≥600 N                                    | ≥1200 N |
| ABRASION RESISTANCE     | ISO 10545-7  | Max. 175 mm³ PEI 1-5                      | Class 3 |
| RESISTANCE TO CHEMICALS | ISO 10545-13 | Household chemicals & swimming pool salts | GA      |
|                         |              | Low concentration of acids & alkalis      | GLA     |
| RESISTANCE TO STAINING  | ISO 10545-14 | Minimum class 3                           | Class 5 |

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. It intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.

