

skheme®



dolomite 2.0

dolomite 2.0




pearl



light tan



mink



sustainable



outdoor



P3 slip rating



P5 slip rating



V2

PRODUCT SPECIFICATIONS

format	size	finish	thickness	slip rating	colour
tile	300x600mm	matt grip	10mm	P3 P5	all colours
tile	600x600mm	matt	10mm	P3	all colours

MATERIAL

glazed porcelain

VARIATION

V2

TILE EDGE

rectified

Colours shown in images may differ due to variations in photographic conditions and screen displays. Samples provided may not accurately reflect the exact shade or batch supplied, as variation is an inherent property of tiles and stone. Listed sizes and thicknesses are nominal and may vary slightly from actual working dimensions.

left pictured: light tan
right pictured: light tan





left & right pictured: dolomite 2.0 mink matt
paired with our manhattan gris in matt

Pappa Flock Surfers Paradise
designed: Trust Projects



left pictured: mink
right pictured: light tan



Russell Lea Residence
designed: Mark Szczerbicki
photography: Tom Ferguson

technical data

properties	test method	prescribed value	value
WATER ABSORPTION	ISO 10545-3	≤0.5%	≤0.1%
BENDING STRENGTH	ISO 10545-4	≥12 MPa	≥33.5 MPa
BREAKING STRENGTH	ISO 10545-4	≥350 N	1785 N
ABRASION RESISTANCE	ISO 10545-7	Max. 175 mm³ PEI 1-5	Class 3
RESISTANCE TO CHEMICALS	ISO 10545-13	Household chemicals & swimming pool salts	GA
		Low concentration of acids & alkalis	GLA
RESISTANCE TO STAINING	ISO 10545-14	Minimum class 3	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



AN ENVIRONMENTAL PRODUCT DECLARATION (EPD) is a globally recognised certification that outlines the environmental impact of a product across its entire life cycle. It supports sustainable decision-making and green procurement by assessing factors such as material sourcing, emissions, installation, use, and end-of-life disposal.

