

skheme®

57 Street & 8 Avenue


M



Exit 57 Street

pixel


pixel




ivory grey




dark grey



antracite




black



PRODUCT SPECIFICATIONS	format	size	finish	thickness	slip rating	colour
	mosaic	100x100mm*	matt	6mm	P4	ivory grey dark grey antracite
	cove	100x200mm	matt	7mm	N/A	ivory grey dark grey antracite
	tile	200x200mm	matt	7mm	P4	all colours
	tile	200x200mm	diamond	7mm	P5	ivory grey dark grey antracite
	tile	300x300mm	matt	7mm	P4	ivory grey dark grey antracite
MATERIAL	full-bodied unglazed porcelain					
VARIATION	V1					
TILE EDGE	non-rectified					

* 100x100mm mosaics are available in a sheet size of 300x300mm

Colours shown in images may differ due to variations in photographic conditions and screen displays. Samples provided may not accurately reflect the exact shade or batch supplied, as variation is an inherent property of tiles and stone. Listed sizes and thicknesses are nominal and may vary slightly from actual working dimensions.



left pictured: diamond finish
right pictured: dark grey entire formats

technical data

properties	test method	prescribed value	value
WATER ABSORPTION	ISO 10545-3	≤0.5%	≤0.21%
BENDING STRENGTH	ISO 10545-4	≥12 MPa	≥33.5 MPa
BREAKING STRENGTH	ISO 10545-4	≥350 N	1785 N
ABRASION RESISTANCE	ISO 10545-7	Max. 175 mm³ PEI 1-5	Class 3
RESISTANCE TO CHEMICALS	ISO 10545-13	Household chemicals & swimming pool salts	GA
		Low concentration of acids & alkalis	GLA
RESISTANCE TO STAINING	ISO 10545-14	Minimum class 3	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

