


Bianco



Imported from Italy, BIANCO is a precise, realistic version of Carrara and Statuario marble. The matt and honed finishes echo that of real stone and spotting the difference is next to impossible!

- PRODUCT TYPE:** Glazed colour-bodied porcelain
- COLOURS:** Carrara and Statuario
- SIZES:** 600x600mm, 870x870mm, 900x900mm, 300x1200mm, 600x1200mm, 290x1160mm, 580x1160mm rectified edges.
Hex 210x182mm non-rectified
- FINISHES/USAGE:** Matt and Honed/Wall and floor
- AESTHETIC QUALITIES:** Precise, realistic marble look
- TECHNICAL DATA:** More information located on last page
- ORIGIN:** Italy

VARIATION:



V3

CERTIFICATIONS:




Bianco

PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
600x600mm	MATT	RECTIFIED
900x900mm*	MATT	RECTIFIED
300x1200mm*	MATT	RECTIFIED
600x1200mm	MATT	RECTIFIED
870x870mm*	HONED	RECTIFIED
290x1160mm*	HONED	RECTIFIED
600x1200mm	HONED	RECTIFIED
210x182mm (Hex)	MATT	NON-RECTIFIED

* Indent item - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.








CARRARA MATT



CARRARA HONED

FORMATS



CARRARA MATT

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Bianco

PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
600x600mm	MATT	RECTIFIED
900x900mm*	MATT	RECTIFIED
300x1200mm*	MATT	RECTIFIED
600x1200mm	MATT	RECTIFIED
870x870mm*	HONED	RECTIFIED
290x1160mm*	HONED	RECTIFIED
600x1200mm	HONED	RECTIFIED
580x1160mm	HONED	RECTIFIED
210x182mm (Hex)	MATT	NON-RECTIFIED

* Indent item - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.







STATUARIO MATT




STATUARIO HONED

FORMATS



210x182mm



STATUARIO MATT

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Bianco



Bianco



Bianco

TECHNICAL DATA

technical characteristics	test method	required values	value
water absorption	iso 10545-3	$0,5\% < E \leq 3\%$	0,5%
breaking strength (S)	iso 10545-4	≥ 1300 (thickness $\geq 7,5\text{mm}$) ≥ 700 (thickness $< 7,5\text{mm}$)	≥ 1300
thermal shock resistance	iso 10545-9	no visible defects	complies with standard
chemical resistance to household chemicals	iso 10545-13	GB minimum	GA
chemical resistance to low concentration of acids and alkalis	iso 10545-13	Testing method available	GLA-GLB
stain resistance	iso 10545-14	minimum Class 3	Class 5
length and width of the average sizes	iso 10545-2	$\pm 0,5\%$	compliant
thickness	iso 10545-2	$\pm 0,5\%$	compliant
straightness of sides	iso 10545-2	$\pm 0,5\%$	compliant

PLEASE NOTE:

- 600x600mm has 38 faces before a repeat occurs
- 580x1160 has 18 faces before a repeat occurs
- 600x1200mm Carrara has 18 faces before a repeat occurs
- 600x1200mm Statuario has 19 faces before a repeat occurs

Bianco

CERTIFICATIONS



The GREENGUARD Environmental Institute is an industry-independent organisation with a mission to improve indoor air quality and reduce people's exposure to chemicals and other pollutants. As an ISO-IEC Guide 65:1996 accredited, third-party organization, the GREENGUARD Environmental Institute certifies products and materials for low chemical emissions and provides a resource for choosing healthier products and materials for indoor environments. Certified products must meet chemical emissions standards based on established criteria from key public health agencies.



Italian GREEN BUILDING COUNCIL, the association of top players working to transform the building market towards sustainability and to build liveable communities. GBC Italian members promote environmental, economic and social responsibility, innovating buildings in terms of engineering, design, manufacturing and use.



LEED (Leadership in Energy and Environmental Design) is an internationally recognized green building certification system, providing third-party verification that a building or community was designed and built using strategies aimed at improving performance across all the metrics that matter most: energy savings, water efficiency, CO2 emissions reduction, improved indoor environmental quality, and stewardship of resources and sensitivity to their impacts.



Living Building Challenge (LBC) Red List Free is a status indicating that a product contains none of the harmful chemicals listed on the Red List. It is one of three declaration possibilities—Red List Approved and Declared are the other two—on the International Living Future Institute's (ILFI) Declare Label. For a manufacturer to claim a product is Red List Free, it must disclose 100 percent of ingredients and be found to obtain no Red List chemicals at levels at or above 100ppm or 0.01 percent. Products with the Red List Free label are in compliance with the LBC's goals of ingredient transparency and industry-wide elimination of all Red List chemicals.



A European Union ecological quality mark that guarantees lower energy consumption in production processes, lower atmospheric and wastewater emissions, use of substances that are not dangerous for humans and the environment, use of quarries with correct environmental management, more effective consumer information and improved waste management.



EPD (Environmental Product Declaration) assessed its products' environmental impact throughout their life cycle, from extraction and processing of the raw materials through to the recycling of demolition spoil. The findings of this LCA (Life Cycle Assessment), performed in accordance with the ISO 14040 series international standards, have been published in the Environmental Product Declaration (ISO 14025 and EN 15804), contributing to the attainment of LEED.