

Deko



PRODUCT TYPE: Glazed Porcelain

COLOURS: Ocre, Garnet, Cobalt, Jade, Terra and Olive

SIZES: 100x100mm (sheeted)
Non-Rectified edges


FINISHES/USAGE: Gloss/Wall only

AESTHETIC QUALITIES: Bright modern colours

TECHINICAL INFO: More technical info on the last page

ORIGIN: Turkey

VARIATION:



V2

CERTIFICATIONS:




DEKO, our new range of bright 100x100mm mosaic tiles featuring soft variation and a glossy finish. Perfect to create eye-catching splashbacks and feature walls and is suitable for walls only.

Deko


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	GLOSS	-	NON-RECTIFIED


FORMATS



Sheet size | 300x300mm



GARNET



JADE


Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Deko

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	GLOSS	-	NON-RECTIFIED

FORMATS



Sheet size | 300x300mm



OCRE



COBALT


Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Deko


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	GLOSS	-	NON-RECTIFIED


FORMATS



Sheet size | 300x300mm



TERRA



OLIVE









Deko



Deko



TECHNICAL DATA

	technical characteristics	test method	result
	water absorption	ISO 10545-3	0,5% < E ± 3,0 %
	modulus of rupture	ISO 10545-4	Min. 30 N/mm2
	surface quality	ISO 10545-2	≥95%
	breaking strength	ISO 10545-4	Min. 1100 N (t≥7,5mm) Min. 700 N (t<7,5mm)
	crazing resistance	ISO 10545-11	Pass
	chemical resistance	ISO 10545-13	Pass
	resistance to frost	ISO 10545-12	Pass
	staining resistance	ISO 10545-14	Pass

CERTIFICATIONS



The GREENGUARD Environmental Institute is an industry-independent organisation with a mission to improve indoor air quality and reduce people's exposure to chemicals and other pollutants. As an ISO-IEC Guide 65:1996 accredited, third-party organization, the GREENGUARD Environmental Institute certifies products and materials for low chemical emissions and provides a resource for choosing healthier products and materials for indoor environments. Certified products must meet chemical emissions standards based on established criteria from key public health agencies.



A European Union ecological quality mark that guarantees lower energy consumption in production processes, lower atmospheric and wastewater emissions, use of substances that are not dangerous for humans and the environment, use of quarries with correct environmental management, more effective consumer information and improved waste management.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.