## Tempo

A captivating collection with an organic touch combined with a modern twist, allows for versatility. A unique feature of Tempo is the concaved surface and matching capping, which adds depth and movement.

PRODUCT TYPE:	Ceramic Wall Tile	
COLOURS:	White, Cream, Taupe, Olive, Grey, Aqua Charcoal and Black	
SIZES:	50x300mm and 100x300mm Non-Rectified edges	
FINISHES/USAGE:	Wall only	
AESTHETIC QUALITIES:	Concaved surface with depth in the middle of the tile Easily maintained with conventional cleaning products	
TECHINICAL INFO:		
ORIGIN:	Italy	
VARIATION:	V2	
VARIATION: CERTIFICATIONS:	V2 V2	

# Tempo

#### **PRODUCT SPECIFICATIONS**

SIZES	FINISHES	TILE EDGE	
50x300mm	GLOSS CAPPING	NON-RECTIFIED	
100x300mm	GLOSS	NON-RECTIFIED	





#### FORMATS

50x300mm

100x300mm







TAUPE GLOSS

**OLIVE GLOSS** 

## Tempo

#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
50x300mm	GLOSS CAPPING	NON-RECTIFIED
100x300mm	GLOSS	NON-RECTIFIED

\*Black capping can be matched with our 100x300mm Jazz Black Gloss

#### FORMATS

50x300mm

100,000,000
100x300mm







**GREY GLOSS** 





CHARCOAL GLOSS

**BLACK GLOSS\*** 



## Tempo



# Tempo



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

## Tempo

#### TECHNICAL DATA

	technical characteristics	test method	required values	result
۵ ۵ ۵ ۵ ۵	water absorption	ISO 10545-3	E>10%	~ 16%
<u>څ</u>	bending strength	ISO 10545-4	R≥15 N/mm²	22 N/mm²
£03	abrasion resistance	ISO 10545-7	according to manufacturer's data	pass
*	linear thermal expansion	ISO 10545-8	test method available	8x10-6 °C-1
٥ĉ	resistance to thermal shock	ISO 10545.9	test method available	guaranteed
Į į	crazing resistance	ISO 10545.11	test method available	guaranteed
	chemical resistance	ISO 10545.13	test method available	pass
	stain resistance	ISO 10545.14	1 <x<5< th=""><th>class 5</th></x<5<>	class 5

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017" For more information please refer to: https://www.safework.nsw.gov.gu

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

## Tempo

#### CERTIFICATIONS



LEED (Leadership in Energy and Environmental Design) is an internationally recognized green building certification system, providing third-party verification that a building or community was designed and built using strategies aimed at improving performance across all the metrics that matter most: energy savings, water efficiency, CO2 emissions reduction, improved indoor environmental quality, and stewardship of resources and sensitivity to their impacts.



BREEAM is an assessment undertaken by independent licensed assessors using scientifically-based sustainability metrics and indices which cover a range of environmental issues. Its categories evaluate energy and water use, health and wellbeing, pollution, transport, materials, waste, ecology and management processes.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.



Eco-Management and Audit Scheme (EMAS) Registration. This is an important recognition of a European level that aim at the continuous improvement of production standards and awareness of all its employees in terms of protecting the environment. The EMAS system is a voluntary awareness for those companies committed to evaluating and improving their environmental efficiency through a more responsible choice of buying and management, a more careful use of air, water, territory, raw materials and energy.