### skheme®

## Nordic



PRODUCT TYPE:	Glazed Porcelain		
COLOURS:	Ivory and Silver		
SIZES:	300x300mm, 300x600mm and 600x600mm Rectified Edges		
FINISHES/USAGE:	Matt/Grip, Wall and Floor		
AESTHETIC QUALITIES:	Mediterranean grey marble		
TECHNICAL DATA:	P3 Pendulum Slip Rating (Matt) P5 Pendulum Slip Rating (Grip) More technical info on the last page		
VARIATION:			

The mediterranean marble look without the associated maintenance. These porcelain tiles are suitable for all environments in matt and grip finishes.

V2

### skheme®

# Nordic

#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
300x300mm	MATT	P3 PENDULUM	RECTIFIED
300x600mm	MATT	P3 PENDULUM	RECTIFIED
600x600mm	MATT	P3 PENDULUM	RECTIFIED
300x600mm	GRIP	P5 PENDULUM	RECTIFIED

#### FORMATS

300x600mm	300x300mm
600x600mm	



NORDIC SILVER MATT

NORDIC SILVER GRIP




## Nordic





## Nordic



#### skheme®

## Nordic

#### TECHNICAL DATA

	technical characteristics Group B I a	test method	required values	value
۵ ۵ ۵ ۵ ۵	water absorption	iso 10545-3	≤ <b>0.5</b> %	0.21%
٥¢	bending strength	iso 10545-4	≥12MPA	≥33.5MPA
٥¢	breaking strength (S)	iso 10545-4	≥ 350 N	≥ 1785N
<b>@</b>	abrasion resistace	iso 10545-7	Max. 175 mm³ PEI 1-5	Class 3
	chemical resistance	iso 10545-13	Household chemicals and swimming pool salts	GA
•			Low concentration of acids and alkalis	GLA
2	stain resistance	iso 10545-14	Minimum Class 3	Class 5

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017" For more information please refer to: https://www.safework.nsw.gov.au