skheme®

New York



A collection of 75x300mm tiles with gloss and matt finishes, suitable for wall only. NEW YORK comes in a neutral colour palette, which can also be paired with MIAMI series which consists of a bright, pastel colour palette.

| PRODUCT TYPE: | Ceramic Wall Tile | | |
|--------------------|--|--|--|
| COLOURS: | White, Pale Grey, Taupe, Charcoal and Black | | |
| SIZES: | 75x300mm Non-rectified edges | | |
| FINISHES/USAGE: | Matt and Gloss/Wall only | | |
| STHETIC QUALITIES: | Neutral colour wall tile | | |
| TECHNICAL DATA: | See last page for technical data | | |
| VARIATION: | | | |

V1




New York

PRODUCT SPECIFICATIONS

| SIZES | FINISHES | TILE EDGE | |
|----------|----------|---------------|--|
| 75x300mm | GLOSS | NON-RECTIFIED | |


FORMATS

75x300mm






New York



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



New York



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

skheme®

New York

TECHNICAL DATA

| Technical Characteristi s | Test Method | Requirement | Result |
|----------------------------------|-------------|---|---------------|
| Length and Width | ASTM C485 | ‡ 0.40% -0.30% | +0.04%-+0.07% |
| Water Absorbtion | ASTM C373 | 7.0% <wa 20.0%<="" td=""><td>14.3-15.5%</td></wa> | 14.3-15.5% |
| Crazing Resistance | ASTM C424 | Pass | Resistant |
| Chemical Resistance | ASTM C650 | As Reported | Not Affected |
| Stain Resistance | ASTM C1378 | As Reported | Not Affected |