

Byronstone



PRODUCT TYPE: Glazed porcelain

COLOURS: Cotton, Almond and Taupe


SIZES: 300x300mm, 300x600mm, 600x600mm
and 600x1200mm
Rectified edges

FINISHES/USAGE: Matt and Grip/Wall and Floor

AESTHETIC QUALITIES: Crosscut stone look

TECHNICAL INFO P3 Pendulum Slip Rating (Matt)
P4 Pendulum Slip Rating (Grip)
More information on last page

VARIATION:



V2

CERTIFICATIONS:





BYRONSTONE is produced using hi-definition inkjet technology to recreate a crosscut stone look. Available in three colours and both a matt and grip finish.

Byronstone

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
300x300mm	MATT	P3 Pendulum	RECTIFIED
300x600mm	MATT	P3 Pendulum	RECTIFIED
600x600mm	MATT	P3 Pendulum	RECTIFIED
600x1200mm	MATT	P3 Pendulum	RECTIFIED
300x600mm	GRIP	P4 Pendulum	RECTIFIED

FORMATS



COTTON



ALMOND



MINK

Byronstone

COTTON VARIATION



600x1200mm | 12 faces

600x600mm | 24 faces

Byronstone

ALMOND VARIATION



600x1200mm | 12 faces

600x600mm | 24 faces

Byronstone

MINK VARIATION











600x1200mm | 12 faces

600x600mm | 24 faces

Byronstone

TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.4%
	modulus of rupture	ISO 10545-4	≥ 35 N/mm2	compliant
	surface quality	ISO 10545-2	Complies	≥95%
	thermal shock resistance	ISO 10545-9	Complies	compliant
	deep abrasion resistance	ISO 10545-6	≤ 175 mm3	compliant
	chemical resistance	ISO 10545-13	Declared value	compliant
	resistance to frost	ISO 10545-12	Resistant	compliant
	staining resistance	ISO 10545-14	Minimum Class 3	compliant

CERTIFICATIONS



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.