

# Avenue



**PRODUCT TYPE:** Glazed Porcelain

**COLOURS:** White, Fawn and Mist


**SIZES:** 300x300mm, 300x600mm and 600x600mm  
Rectified Edges

**FINISHES/USAGE:** Matt, and Grip/Wall and Floor

**AESTHETIC QUALITIES:** Limestone look

**TECHNICAL INFO:** Matt - P2 Pendulum Slip rating  
Grip - P5 Pendulum Slip rating  
More information on last page

**VARIATION:**



V2

**CERTIFICATIONS:**



AVENUE is a hybrid of stone and limestone look tiles. With subtle movement and colour variation which can be applied for internal wall and floors.


# Avenue

## PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE	SLIP RATING
300x300mm	MATT	RECTIFIED	P2 Pendulum
300x600mm	MATT	RECTIFIED	P2 Pendulum
600x600mm	MATT	RECTIFIED	P2 Pendulum
300x600mm	GRIP	RECTIFIED	P5 Pendulum

\*Please note not all colours are available in all sizes


## FORMATS



WHITE



FAWN











MIST



# Avenue



## TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.4%
	modulus of rupture	ISO 10545-4	≥ 35 N/mm <sup>2</sup>	compliant
	surface quality	ISO 10545-2	Complies	≥95%
	thermal shock resistance	ISO 10545-9	Complies	compliant
	deep abrasion resistance	ISO 10545-6	≤ 175 mm <sup>3</sup>	compliant
	chemical resistance	ISO 10545-13	Declared value	compliant
	resistance to frost	ISO 10545-12	Resistant	compliant
	staining resistance	ISO 10545-14	Minimum Class 3	compliant

## CERTIFICATIONS



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.