## skheme®

# Gallerie



GALLERIE resembles natural stone with characteristic white veining throughout. Four netural colour ways make this a versatile series.

PRODUCT TYPE:	Glazed Porcelain			
COLOURS:	White, Fawn and Stone			
SIZES:	300x300mm, 300x600m, 600x600mm and 450x900mm Rectified Edges			
FINISHES/USAGE:	Matt, Semi-Polished and Grip/Floor			
esthetic qualities:	Marble, Stone vein look			
TECHNICAL INFO:	P3 Pendulum slip rating (Matt) P5 Pendulum slip rating (Grip) More technical data on the last page			

VARIATION:



CERTIFICATIONS:




## skheme®

# Gallerie

#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
300x300mm	MATT	P3 Pendulum	RECTIFIED
300X600mm	MATT	P3 Pendulum	RECTIFIED
600x600mm	MATT	P3 Pendulum	RECTIFIED
300X600mm	SEMI-POLISH	-	RECTIFIED
600x600mm	SEMI-POLISH	-	RECTIFIED
300x600mm	GRIP	P5 Pendulum	RECTIFIED

#### FORMATS







WHITE

FAWN



STONE




## Gallerie





# Gallerie



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

#### skheme®

# Gallerie

#### **TECHNICAL DATA**

	technical characteristics	test method	required values	result	NENTAL MANAGENE	
۵ ۵ ۵ ۵ ۵	water absorption	ISO 10545-3	≤0.5%	≤0.4%	STATION OWNER	ISO 14001:2015 specifies the requirements management system that an organization environmental performance. ISO 14001:20 organization seeking to manage its enviro a systematic manner that contributes to th
Ŝĉ	modulus of rupture	ISO 10545-4	≥ 35 N/mm2	compliant	ISO 14001	sustainability.
$\bigstar$	surface quality	ISO 10545-2	Complies	≥95%		
<u>ڦ</u> ڻ	thermal shock resistance	ISO 10545-9	Complies	compliant		
EO.	deep abrasion resistance	ISO 10545-6	≤ 175 mm3	compliant		
	chemical resistance	ISO 10545-13	Declared value	compliant		
	resistance to frost	ISO 10545-12	Resistant	compliant		
	staining resistance	ISO 10545-14	Minimum Class 3	compliant		

**CERTIFICATIONS** 

ents for an environmental tion can use to enhance its :2015 is intended for use by an vironmental responsibilities in to the environmental pillar of