Classic



CLASSIC will freshen up any project with their classic look and feel. Available in black and white and in matt and polished finishes, CLASSIC is perfect for creating a crisp, clean finish or to complement more decorative tiles.

PRODUCT TYPE:	Full bodied porcelain	
COLOURS:	White and Black	
SIZES:	75x600mm, 300x300mm, 300x600mm 600x600mm and 600x1200mm Rectified edges	
FINISHES/USAGE:	Matt and Polished/Floor and Wall	
esthetic qualities:	Clean and simple	
TECHINICAL INFO:	More technical data on the last page.	
VARIATION:	V1	

Classic

PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
75x600mm	BLACK MATT ONLY	RECTIFIED
300x300mm	MATT	RECTIFIED
300x600mm	MATT	RECTIFIED
600x600mm	MATT	RECTIFIED
600x1200mm	MATT (WHITE ONLY)	RECTIFIED
300x300mm	POLISHED (BLACK ONLY)	RECTIFIED
300x600mm	POLISHED	RECTIFIED
600x600mm	POLISHED	RECTIFIED

FORMATS

750x600mm	
300x600mm	300x300mm
600x600mm	600x1200mm



WHITE MATT

WHITE POLISHED



BLACK MATT

BLACK POLISHED

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Classic






Classic





Classic



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Classic Polished Technical Data

	technical characteristics	technical requirements	test results	verdict
۵ ۵ ۵ ۵ ۵	water absorption	Average maximum 0.5 Individual maximum 0.6	0.06 0.05~0.08	pass
	frost resistance	no crack or peeling after first frost test	conformed	pass
Ĝĉ	breaking strength	When the thickness \ge 7.5mm, the mean value shall not be less than 1300	1427	pass
Ø	resistace to deep abrasion	Maximum 175	113	pass
	chemical resistance	Minimum UB	Clas UA	pass

Classic Matt Technical Data

	technical characteristics	test method	value
۵ ۵ ۵ ۵ ۵	water absorption	ASTM TESTC373	0.30%
Ĝĉ	bending strength		38 N/mm ²
±∎	thermal shock resistance	ASTMC484	resistant
	chemical resistance	ASTMC650	resistant

Classic

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017" For more information please refer to: https://www.safework.nsw.gov.au