

Parq



Imported from Spain, our PARQ Series is inspired by gentle autumn tones and features a softly undulated surface in a matt finish.

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017* For more information please refer to: <https://www.safework.nsw.gov.au>

PRODUCT TYPE: Glazed Porcelain

COLOURS: Pearl, Dune, Sedona, Grey, Azure, Umber, Juniper, Storm and Sapphire

SIZES: 60x246mm
Non-Rectified Edges


FINISHES/USAGE: Matt/Wall and Floor

AESTHETIC QUALITIES: Organic autumn colours with handmade aesthetic

TECHNICAL DATA: P2 Pendulum Slip Rating (Matt)
More information on last page

ORIGIN: Spain

VARIATION:



V2

CERTIFICATIONS:



ATTRIBUTES:



POOL SAFE*



EXTERNAL WALL SAFE

*Refer to Australian standards and BCA when installing in pools

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint. Visit <https://www.skheme.com/about-us/terms-and-conditions/> for more information.

Parq

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
60x246mm	MATT	P2 Pendulum	NON-RECTIFIED

FORMATS


65x246mm



PEARL MATT



DUNE MATT



SEDONA MATT




GREY MATT



AZURE MATT



UMBER MATT



JUNIPER MATT



STORM MATT



SAPPHIRE

Parq










Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Parq



TECHNICAL DATA

	technical characteristics	test method	result
	water absorption	EN ISO 10545-3	> 0.5 % (Bla)
	modulus of rupture	EN ISO 10545-4	> 35 N/mm ²
	surface quality	EN ISO 10545-2	complies
	breaking strength	EN ISO 10545-4	> 1300 N
	scratch hardness	EN 101	7
	chemical resistance	EN ISO 10545-13	GLA GHB GA
	stain resistance	EN ISO 10545-14	5

CERTIFICATIONS



US GREEN BUILDING COUNCIL, the association of top players working to transform the building market towards sustainability and to build liveable communities. GBC US members promote environmental, economic and social responsibility, innovating buildings in terms of engineering, design, manufacturing and use.



BREEAM is an assessment undertaken by independent licensed assessors using scientifically-based sustainability metrics and indices which cover a range of environmental issues. Its categories evaluate energy and water use, health and wellbeing, pollution, transport, materials, waste, ecology and management processes.



Spain Green Building Council is the first national non-profit association of leading companies in the built environment industry that work together to promote environmentally responsible, profitable and healthy cities and buildings for the people who live or work in them.



POOL SAFE



EXTERNAL WALL SAFE

*Refer to Australian standards and BCA when installing in pools