

Seto



Made in Italy, SETO series features a Japanese inspired glossy finish and intentionally irregular surfaces to evoke the sensations of handmade products. The sizes can be all used together edges to enable spaceless installation and unique pattern-making.

*Special order - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017* For more information please refer to: <https://www.safework.nsw.gov.au>

PRODUCT TYPE: Glazed porcelain

COLOURS: Whisper, Linen, Ashen and Yale

SIZES: 50x150mm and 150x150mm

***More sizes available**
Non-Rectified edges


FINISHES/USAGE: Semi Gloss/Wall only

AESTHETIC QUALITIES: Japanese inspired gloss finish

TECHNICAL INFO More information on last page

ORIGIN: Italy

VARIATION:



V2

CERTIFICATIONS:



ATTRIBUTES:



*Refer to Australian standards and BCA when installing in pools




Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint. Visit <https://www.skheme.com/about-us/terms-and-conditions/> for more information.

Seto

PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
50x150mm	SEMI GLOSS	NON-RECTIFIED
150x150mm	SEMI GLOSS	NON-RECTIFIED

FORMATS




WHISPER



LINEN



ASHEN






YALE

Seto

PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
50x150mm	SEMI GLOSS	NON-RECTIFIED
150x150mm	SEMI GLOSS	NON-RECTIFIED

FORMATS




WHISPER



LINEN



ASHEN



YALE

SPECIAL ORDER SIZES AND FINISHES

Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.

75x200mm 3D Semi Gloss Non-Rectified




WHISPER



LINEN




ASHEN










YALE

FORMAT



75x200mm

TECHNICAL DATA

	technical characteristics	test method	result
	water absorbtion	EN ISO 10545-3	> 10 % (BIII)
	modulus of rupture	EN ISO 10545-4	> 12 N/mm2
	surface quality	EN ISO 10545-2	complies
	breaking strength	EN ISO 10545-4	> 600 N
	abrasion resistance	EN 101	3
	chemical resistance	EN ISO 10545-13	GLA GHB GA
	resistance to thermal shock	EN ISO 10545-9	Guaranteed

CERTIFICATIONS



The GREENGUARD Environmental Institute is an industry-independent organisation with a mission to improve indoor air quality and reduce people's exposure to chemicals and other pollutants. As an ISO-IEC Guide 65:1996 accredited, third-party organization, the GREENGUARD Environmental Institute certifies products and materials for low chemical emissions and provides a resource for choosing healthier products and materials for indoor environments. Certified products must meet chemical emissions standards based on established criteria from key public health agencies.



Living Building Challenge (LBC) Red List Free is a status indicating that a product contains none of the harmful chemicals listed on the Red List. It is one of three declaration possibilities—Red List Approved and Declared are the other two—on the International Living Future Institute's (ILFI) Declare Label. For a manufacturer to claim a product is Red List Free, it must disclose 100 percent of ingredients and be found to obtain no Red List chemicals at levels at or above 100ppm or 0.01 percent. Products with the Red List Free label are in compliance with the LBC's goals of ingredient transparency and industry-wide elimination of all Red List chemicals.



Italian GREEN BUILDING COUNCIL, the association of top players working to transform the building market towards sustainability and to build liveable communities. GBC Italian members promote environmental, economic and social responsibility, innovating buildings in terms of engineering, design, manufacturing and use.



A European Union ecological quality mark that guarantees lower energy consumption in production processes, lower atmospheric and wastewater emissions, use of substances that are not dangerous for humans and the environment, use of quarries with correct environmental management, more effective consumer information and improved waste management.



LEED (Leadership in Energy and Environmental Design) is an internationally recognized green building certification system, providing third-party verification that a building or community was designed and built using strategies aimed at improving performance across all the metrics that matter most: energy savings, water efficiency, CO2 emissions reduction, improved indoor environmental quality, and stewardship of resources and sensitivity to their impacts.



EPD (Environmental Product Declaration) assessed its products' environmental impact throughout their life cycle, from extraction and processing of the raw materials through to the recycling of demolition spoil. The findings of this LCA (Life Cycle Assessment), performed in accordance with the ISO 14040 series international standards, have been published in the Environmental Product Declaration (ISO 14025 and EN 15804), contributing to the attainment of LEED.



*Refer to Australian standards and BCA when installing in pools