

Avenue



PRODUCT TYPE: Glazed Porcelain

COLOURS: White, Fawn and Mist


SIZES: 300x300mm, 300x600mm and 600x600mm
Rectified Edges

FINISHES/USAGE: Matt, and Grip/Wall and Floor

AESTHETIC QUALITIES: Limestone look

TECHNICAL INFO: P3 Pendulum Slip rating (Matt)
P4 Pendulum Slip rating (Grip)
More information on last page

VARIATION:



V2

CERTIFICATIONS:



AVENUE is a hybrid of stone and limestone look tiles. With subtle movement and colour variation which can be applied for internal wall and floors.


Avenue

PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE	SLIP RATING
300x300mm	MATT	RECTIFIED	P3 Pendulum
300x600mm	MATT	RECTIFIED	P3 Pendulum
600x600mm	MATT	RECTIFIED	P3 Pendulum
300x600mm	GRIP	RECTIFIED	P4 Pendulum

*Please note White is not available in the grip finish

FORMATS



WHITE



FAWN











MIST

Avenue



Avenue

TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.4%
	modulus of rupture	ISO 10545-4	≥ 35 N/mm2	compliant
	surface quality	ISO 10545-2	Complies	≥95%
	thermal shock resistance	ISO 10545-9	Complies	compliant
	deep abrasion resistance	ISO 10545-6	≤ 175 mm3	compliant
	chemical resistance	ISO 10545-13	Declared value	compliant
	resistance to frost	ISO 10545-12	Resistant	compliant
	staining resistance	ISO 10545-14	Minimum Class 3	compliant

CERTIFICATIONS



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.