



Imported from Italy, MURI series is a minimalist yet sophisticated design which is dedicated to residential and commercial environments perfect for recreating a cosy allure and rediscovering the charm of the 'handmade'. MURI is available in both square and brick format and features a 3D dimple style wall tile.

PRODUCT TYPE: Glazed Porcelain

> White, Eggshell, Smoke, Black, Nude, Terra, COLOURS:

> > Latte, Army, Sky, Green Tea, Steel and

Indigo

SIZES: 100x100mm and 50x150mm Satin and

> 50x150mm Dimple Non-Rectified edges

FINISHES/USAGE: Satin/ Wall and Floor

**AESTHETIC QUALITIES:** Warm and cool handmade tiles with 3D

element

**TECHINICAL INFO:** More technical info on the last page

> ORIGIN: Italy

VARIATION:



**CERTIFICATIONS:** 














#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	SATIN	-	NON-RECTIFIED
50x150mm	SATIN	_	NON-RECTIFIED
50x150mm	DIMPLE	-	NON-RECTIFIED









#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100,4100,000	CATINI		NON DECTIFIED
100x100mm	SATIN	-	NON-RECTIFIED
50x150mm	SATIN	-	NON-RECTIFIED
50x150mm	DIMPLE	-	NON-RECTIFIED








#### PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	SATIN	_	NON-RECTIFIED
50x150mm	SATIN	-	NON-RECTIFIED
50x150mm	DIMPLE		NON-RECTIFIED









EGGSHELL SATIN DIMPLE

NUDE SATIN DIMPLE

TERRA SATIN DIMPLE







GREEN TEA SATIN DIMPLE

















#### TECHNICAL DATA

	technical characteristics	test method	result
888	water absorbtion	EN ISO 10545-3	> 10 % (BIII)
<u>6</u>	modulus of rupture	EN ISO 10545-4	> 12 N/mm2
*	surface quality	EN ISO 10545-2	complies
<b>6</b>	breaking strength	EN ISO 10545-4	> 600 N
(O)	abrasion resistance	EN 101	3
	chemical resistance	EN ISO 10545-13	GLA   GHB   GA
*	resistance to thermal shock	EN ISO 10545-9	Guaranteed



#### **CERTIFICATIONS**



The GREENGUARD Environmental Institute is an industry-independent organisation with a mission to improve indoor air quality and reduce people's exposure to chemicals and other pollutants. As an ISO-IEC Guide 65:1996 accredited, third-party organization, the GREENGUARD Environmental Institute certifies products and materials for low chemical emissions and provides a resource for choosing healthier products and materials for indoor environments. Certified products must meet chemical emissions standards based on established criteria from key public health agencies.



Living Building Challenge (LBC) Red List Free is a status indicating that a product contains none of the harmful chemicals listed on the Red List. It is one of three declaration possibilities—Red List Approved and Declared are the other two—on the International Living Future Institute's (ILFI) Declare Label. For a manufacturer to claim a product is Red List Free, it must disclose 100 percent of ingredients and be found to obtain no Red List chemicals at levels at or above 100ppm or 0.01 percent. Products with the Red List Free label are in compliance with the LBC's goals of ingredient transparency and industry-wide elimination of all Red List chemicals.



Italian GREEN BUILDING COUNCIL, the association of top players working to transform the building market towards sustainability and to build liveable communities. GBC Italian members promote environmental, economic and social responsibility, innovating buildings in terms of engineering, design, manufacturing and use.



A European Union ecological quality mark that guarantees lower energy consumption in production processes, lower atmospheric and wastewater emissions, use of substances that are not dangerous for humans and the environment, use of quarries with correct environmental management, more effective consumer information and improved waste management.



LEED (Leadership in Energy and Environmental Design) is an internationally recognized green building certification system, providing third-party verification that a building or community was designed and built using strategies aimed at improving performance across all the metrics that matter most: energy savings, water efficiency, CO2 emissions reduction, improved indoor environmental quality, and stewardship of resources and sensitivity to their impacts.



EPD (Environmental Product Declaration) assessed its products' environmental impact throughout their life cycle, from extraction and processing of the raw materials through to the recycling of demolition spoil. The findings of this LCA (Life Cycle Assessment), performed in accordance with the ISO 14040 series international standards, have been published in the Environmental Product Declaration (ISO 14025 and EN 15804), contributing to the attainment of LEED.





\*Refer to Australian standards and BCA when installing in pools