

Toronto



PRODUCT TYPE: Glazed Porcelain

COLOURS: Pearl and Ash

SIZES: 300x300mm, 300x600mm, 600x600mm


FINISHES/USAGE: Rectified edges

AESTHETIC QUALITIES: Matt & Grip/Wall & floor

The digital system guarantees realistic, authentic colouring, with variations in texture and patterning.

TECHNICAL DATA: P3 Pendulum slip rating (Matt)
P4 Pendulum slip rating (Grip)
More technical data on the last page

VARIATION:



V3


TORONTO is produced using hi-definition inkjet technology to recreate a crosscut stone look.

Toronto

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
300x300mm	MATT	P3 Pendulum	RECTIFIED
300x600mm	MATT	P3 Pendulum	RECTIFIED
600x600mm	MATT	P3 Pendulum	RECTIFIED

FORMATS




PEARL

Toronto

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
300x300mm	MATT	P3 Pendulum	RECTIFIED
300x600mm	MATT	P3 Pendulum	RECTIFIED
600x600mm	MATT	P3 Pendulum	RECTIFIED
300x600mm	GRIP	P4 Pendulum	RECTIFIED

FORMATS









ASH

Toronto



TECHNICAL DATA

	technical characteristics	test method	required values	value
	Group B I a			
	water absorption	iso 10545-30	≤ 0.5%	.21%
	bending strength	iso 10545-4	≥ 12MPA	≥ 33.5MPA
	breaking strength (S)	iso 10545-4	≥ 350 N	≥ 1785N
	abrasion resistance	iso 10545-7	Max. 175 mm ³ PEI 1-5	Class3
	chemical resistance	iso 10545-13	Household chemicals and swimming pool salts	GA
			Low concentration of acids and alkalis	GLA
	stain resistance	iso 10545-14	Minimum Class 3	Class 5