


### Belen



Designed to suit elegant open layouts and fresh, contemporary aesthetics, BELEN is ideal for living, bathroom, and alfresco spaces. Featuring four colourways, this natural collection includes a variety of wall and flooring formats, plus outdoor options including hand-cut cobblestone to create seamless continuity throughout the home.

**PRODUCT TYPE**: Glazed Porcelain

COLOURS: Pearl, Tawn, Argent and Taupe

**SIZES:** 300x300mm, 300x600mm, 600x600mm,

600x1200mm Rectified edges

300x340mm\* Hand-Cut Cobble Grip Mosaic

FINISHES/USAGE: Matt and Grip / Floor and wall

**AESTHETIC QUALITIES:** Natural, Fresh & Contemporary

TECHINICAL INFO: P3 Pendulum Slip Rating (Matt)

P5 Pendulum Slip Rating (Grip)

More technical info on the last page

VARIATION:



\*Individual cobble size measure 100x100mm and is hand-cut, not rectified.




### Belen

#### PRODUCT SPECIFICATIONS

| SIZES      | FINISHES | SLIP RATING | COLOURS AVAILABLE             | TILE EDGE |
|------------|----------|-------------|-------------------------------|-----------|
| 300x300mm  | MATT     | P3 PENDULUM | ALL COLOURS                   | RECTIFIED |
| 300x600mm  | MATT     | P3 PENDULUM | ALL COLOURS                   | RECTIFIED |
| 600X600mm  | GRIP     | P5 PENDULUM | ALL COLOURS                   | RECTIFIED |
| 600x1200mm | GRIP     | P5 PENDULUM | ALL COLOURS                   | RECTIFIED |
| 300x340mm  | GRIP     | P5 PENDULUM | Tawn   Argent   Taupe   Mixed | HAND-CUT  |

#### **FORMATS**









**ARGENT** 



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.







Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.





BELEN TAUPE 600x600mm



BELEN ARGENT 600x1200mm



## PEARL VARIATION Belen





#### TAWN VARIATION





#### ARGENT VARIATION





#### TAUPE VARIATION





#### **TECHNICAL DATA**


| properties              | test method  | prescribed values | value   |
|-------------------------|--------------|-------------------|---------|
| water absorption        | ISO 10545-3  | Ev≤0.5%           | 0.5%    |
| bending strength        | ISO 10545-4  | ≥35N/mm2          | 35      |
| breaking strength       | ISO 10545-4  | ≥1300             | 1402    |
| abrasion resistance     | ISO 10545-7  | pass              | 4       |
| resistance to chemicals | ISO 10545-13 | Minimum B         | В       |
| resistance to staining  | ISO 10545-14 | Minimum class 3   | class 4 |



An Environmental Product Declaration (EPD) is a globally recognised certification that outlines the environmental impact of a product across its entire life cycle. It supports sustainable decision-making and green procurement by assessing factors such as material sourcing, emissions, installation, use, and end-of-life disposal.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.