

Belen



Designed to suit elegant open layouts and fresh, contemporary aesthetics, BELEN is ideal for living, bathroom, and alfresco spaces. Featuring four colourways, this natural collection includes a variety of wall and flooring formats, plus outdoor options including hand-cut cobblestone to create seamless continuity throughout the home.

PRODUCT TYPE: Glazed Porcelain

COLOURS: Pearl, Tawn, Argent and Taupe


SIZES: 300x300mm, 300x600mm, 600x600mm,
600x1200mm Rectified edges
300x340mm* Hand-Cut Cobble Grip Mosaic

FINISHES/USAGE: Matt and Grip / Floor and wall

AESTHETIC QUALITIES: Natural, Fresh & Contemporary

TECHINICAL INFO: P3 Pendulum Slip Rating (Matt)
P5 Pendulum Slip Rating (Grip)
More technical info on the last page

VARIATION:



V2


*Individual cobble size measure
100x100mm and is hand-cut, not rectified.

Belen

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	COLOURS AVAILABLE	TILE EDGE
300x300mm	MATT	P3 PENDULUM	ALL COLOURS	RECTIFIED
300x600mm	MATT	P3 PENDULUM	ALL COLOURS	RECTIFIED
600X600mm	MATT	P3 PENDULUM	ALL COLOURS	RECTIFIED
600x600mm	GRIP	P5 PENDULUM	ALL COLOURS	RECTIFIED
600x1200mm	MATT	P3 PENDULUM	ALL COLOURS	RECTIFIED
300x340mm	GRIP	P5 PENDULUM	Tawn Argent Taupe Mixed	HAND-CUT

FORMATS



PEARL



TAWN



ARGENT



TAUPE

Installation note: Cobble has hand-cut edges with no aris. Please handle with care.

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



ARGENT COBBLE



TAWN COBBLE



MIXED COBBLE



TAUPE COBBLE



TAUPE COBBLE

Belen



BELEN TAUPE 600x600mm



BELEN ARGENT 600x1200mm

PEARL VARIATION

Belen



TAWN VARIATION

Belen



ARGENT VARIATION

Belen



TAUPE VARIATION

Belen



TECHNICAL DATA

properties	test method	prescribed values	value
water absorption	ISO 10545-3	Ev≤0.5%	0.5%
bending strength	ISO 10545-4	≥35N/mm2	35
breaking strength	ISO 10545-4	≥1300	1402
abrasion resistance	ISO 10545-7	pass	4
resistance to chemicals	ISO 10545-13	Minimum B	B
resistance to staining	ISO 10545-14	Minimum class 3	class 4



An Environmental Product Declaration (EPD) is a globally recognised certification that outlines the environmental impact of a product across its entire life cycle. It supports sustainable decision-making and green procurement by assessing factors such as material sourcing, emissions, installation, use, and end-of-life disposal.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.