

Zelle



Imported from Italy, the ZELLE Series offers a sophisticated selection of wall tiles, characterised by elegant, eye-catching tones and strong variation.

PRODUCT TYPE: Glazed Porcelain Wall Tile

COLOURS: Pearl, Sierra and Teal

SIZES: 100x100mm and 60x240mm
Non-Rectified edges


FINISHES/USAGE: Gloss/Wall Only

AESTHETIC QUALITIES: Elegant and refined with a glossy surface

TECHNICAL INFO: More technical info on the last page

ORIGIN: Italy

VARIATION:



V4

CERTIFICATIONS:



Zelle


ZELLE PRODUCT SUMMARY PAGE




PEARL



SIERRA



TEAL



PEARL



SIERRA




TEAL



PEARL ORB



SIERRA ORB



TEAL ORB

Zelle


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
60x240mm	GLOSS	-	NON-RECTIFIED

FORMATS



60x240mm



PEARL



SIERRA




TEAL



PEARL ORB



SIERRA ORB




TEAL ORB

Zelle

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	GLOSS	-	NON-RECTIFIED


FORMATS



FOREST GREEN




OCEAN BLUE



INDIGO

Zelle



Zelle



TECHNICAL DATA

properties	test method	prescribed values	value
WATER ABSORPTION	ISO 10545-3	Eb ≤0,5% (maximum individual value 0,6%)	Eb ≤0,5%
BENDING STRENGTH	ISO 10545-4	Thickness ≥ 7,5mm: S ≥ 1.300 N R ≥ 35 N/mm ² (minimun individual value 32 N/mm ²)	R ≥22
THERMAL SHOCK RESISTANCE	ISO 10545-9	Pass	Complies with the standards
FROST RESISTANCE	ISO 10545-12	Pass	Complies with the standards
CHEMICAL RESISTANCE	ISO 10545-13	Minimum B	A
		Declared value	LA-LB
		Declared value	HA-HB
STAIN RESISTANCE	ISO 10545-14	Minimum Class 3	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

CERTIFICATIONS



The GREENGUARD Environmental Institute is an industry-independent organisation with a mission to improve indoor air quality and reduce people's exposure to chemicals and other pollutants. As an ISO-IEC Guide 65:1996 accredited, third-party organization, the GREENGUARD Environmental Institute certifies products and materials for low chemical emissions and provides a resource for choosing healthier products and materials for indoor environments. Certified products must meet chemical emissions standards based on established criteria from key public health agencies.



Living Building Challenge (LBC) Red List Free is a status indicating that a product contains none of the harmful chemicals listed on the Red List. It is one of three declaration possibilities—Red List Approved and Declared are the other two—on the International Living Future Institute's (ILFI) Declare Label. For a manufacturer to claim a product is Red List Free, it must disclose 100 percent of ingredients and be found to obtain no Red List chemicals at levels at or above 100ppm or 0.01 percent. Products with the Red List Free label are in compliance with the LBC's goals of ingredient transparency and industry-wide elimination of all Red List chemicals.



Italian GREEN BUILDING COUNCIL, the association of top players working to transform the building market towards sustainability and to build liveable communities. GBC Italian members promote environmental, economic and social responsibility, innovating buildings in terms of engineering, design, manufacturing and use.



A European Union ecological quality mark that guarantees lower energy consumption in production processes, lower atmospheric and wastewater emissions, use of substances that are not dangerous for humans and the environment, use of quarries with correct environmental management, more effective consumer information and improved waste management.



LEED (Leadership in Energy and Environmental Design) is an internationally recognized green building certification system, providing third-party verification that a building or community was designed and built using strategies aimed at improving performance across all the metrics that matter most: energy savings, water efficiency, CO2 emissions reduction, improved indoor environmental quality, and stewardship of resources and sensitivity to their impacts.



EPD (Environmental Product Declaration) assessed its products' environmental impact throughout their life cycle, from extraction and processing of the raw materials through to the recycling of demolition spoil. The findings of this LCA (Life Cycle Assessment), performed in accordance with the ISO 14040 series international standards, have been published in the Environmental Product Declaration (ISO 14025 and EN 15804), contributing to the attainment of LEED.