

# Mix Match



MIX MATCH is hand made with only the machinery used for the extrusion. The mixture of clay and porcelain gres is created and cut by hand. The colour palettes of extruded gres porcelain have a "waxy concrete effect". Go mono and conservative or be brave and combine colours and patterns together.

**PRODUCT TYPE:** Hand made extruded gres porcelain

**COLOURS:** Bianchi Neri, Decori Bianchi Neri,

**SIZES:** 150x450mm  
Non-rectified edges

**FINISHES/USAGE:** Matt/Wall and floor.


**AESTHETIC QUALITIES:** Waxy concrete effect. Soft to touch surface.

**TECHINICAL INFO:** Handcrafted material, therefore variations in colours, tone and size are to be considered intrinsic qualities instead of defects.

Due to the size variation we suggest laying pieces by eye/feel without the use of spacers. Adhesive should be applied to substrate as well as the back of the tile to compensate for the differing thicknesses of the product.

**ORIGIN:** Italy

**VARIATION:**



V4

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint. Visit <http://www.skheme.com/Conditions.aspx> for all disclaimer, copyright and terms and conditions.

# Mix Match

## PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
150X450MM	MATT	NON-RECTIFIED

Individual plain colours are now available to order, minimum quantities may apply.

## FORMATS




## PACKAGING

The pack consists of the 5 monotone shades (A through to E) to create the mix and match effect.

See accompanying page for the decorative counterpart.

## BIANCHI NERI




Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# Mix Match

## PRODUCT SPECIFICATIONS

SIZES	FINISHES	TILE EDGE
150X450MM	MATT	NON-RECTIFIED

## FORMATS



## PACKAGING

The pack consists of the 5 monotone decorative tiles (A through to E) to create the mix and match effect.

See previous page for the non-decorative counterpart.


## DECORI BIANCHI NERI



A



B



C



D



E



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# Mix Match

	technical characteristics	test method	value
	water absorption	iso 10545-3	≤ 0,5%
	frost resistance	iso 10545-12	resistant
	bending strength	iso 10545-4	35 N/mm
	resistance to deep abrasion	iso 10545-7	PEI IV
	thermal shock resistance	iso 10545-9	resistant
	chemical resistance	iso 10545-13	comforable
	stain resistance	iso 10545-14	class V

## LAYING SUGGESTION

Mix Match is a hand made extruded gres porcelain tile, therefore it is suggested to lay pieces by following their natural form without the use of spacers to create an organic finish. It is recommended to load the adhesive not only on the floor but also on the rear of the tile to compensate for the different thicknesses. Finally remove all residual grout (which is still wet) with a sponge.