


T2



The T2 Terrazzo look without the associated maintenance. These porcelain tiles are available with six contemporary colours. T2 is suitable for all environments through the matt and grip finishes.

PRODUCT TYPE: Glazed Porcelain

COLOURS: Shale, Steel, Flint, Shadow, Vintage and Parchment


SIZES: 300x600mm and 600x600mm
Rectified edges

FINISHES/USAGE: Matt and Grip
Floor and wall

AESTHETIC QUALITIES: Terrazzo look

TECHNICAL INFO: P3 Pendulum Slip Rating (Matt)
P5 Pendulum Slip Rating (Grip)
P4 AWT (After 500 cycles) (Grip)
More technical info on the last page

VARIATION:




V1

PRODUCT SPECIFICATIONS

| SIZES | FINISHES | SLIP RATING | TILE EDGE |
|-----------|----------|-------------|-----------|
| 300x600mm | MATT | P3 PENDULUM | RECTIFIED |
| 600x600mm | MATT | P3 PENDULUM | RECTIFIED |
| 300x600mm | GRIP | P5 PENDULUM | RECTIFIED |
| 600x600mm | GRIP | P5 PENDULUM | RECTIFIED |

FORMATS



SHALE



MATT



GRIP

STEEL



MATT




GRIP


PRODUCT SPECIFICATIONS

| SIZES | FINISHES | SLIP RATING | TILE EDGE |
|-----------|----------|-------------|-----------|
| 300x600mm | MATT | P3 PENDULUM | RECTIFIED |
| 600x600mm | MATT | P3 PENDULUM | RECTIFIED |
| 300x600mm | GRIP | P5 PENDULUM | RECTIFIED |
| 600x600mm | GRIP | P5 PENDULUM | RECTIFIED |


FORMATS



FLINT




MATT




GRIP

SHADOW



MATT




GRIP

PRODUCT SPECIFICATIONS

| SIZES | FINISHES | SLIP RATING | TILE EDGE |
|-----------|----------|-------------|-----------|
| 300x600mm | MATT | P3 PENDULUM | RECTIFIED |
| 600x600mm | MATT | P3 PENDULUM | RECTIFIED |
| 300x600mm | GRIP | P5 PENDULUM | RECTIFIED |
| 600x600mm | GRIP | P5 PENDULUM | RECTIFIED |

FORMATS



PARCHMENT



MATT









GRIP

VINTAGE



MATT

| | technical characteristics Group B I a | test method | required values | value |
|--|--|--------------|--|-----------|
|  | water absorption | iso 10545-3 | ≤ 0,5% | 0.21% |
|  | bending strength | iso 10545-4 | ≥ 12MPA | ≥ 33.5MPA |
|  | breaking strength (S) | iso 10545-4 | ≥ 350 N | ≥ 1785N |
|  | abrasion resistace | iso 10545-7 | Max. 175 mm ³ PEI 1-5 | Class3 |
|  | chemical resistance | iso 10545-13 | Household chemicals and swimming pool salts | GA |
| | | | Low concentration of acids and alkalis | GLA |
|  | stain resistance | iso 10545-14 | Minimum Class 3 | Class 5 |