Tecnica



Tecnica, a special series providing efficient anti-slip protection assuring safety and solidity. Thanks to its unglazed structure it is extremely durable and resistant to wear and tear in high traffic areas.

The modular structure of JAZZ and TECNICA lets designs of different magnitudes occur in coherence. Different sizes of floor and wall tiles are produced in accordance with 3 mm joint spaces. Combine both these series for limitlessly usage on walls and interior spaces.

PRODUCT TYPE:	Unglazed porcelain
COLOURS:	Charcoal, Fine Black, and Mono Black
SIZES:	100x200mm (Cove) 200x200mm, 300x300mm and 100x100mm (Mosaic) Non-Rectified edges
FINISHES/USAGE:	Matt, Textured, Diamond/Floor and wall
AESTHETIC QUALITIES:	Unglazed porcelain for commercial use
TECHINICAL INFO:	P3 Pendulum slip rating (Matt) P5 Pendulum slip rating (Matt mosaic) P4 Pendulum slip rating (Textured) R13 (Diamond)
	More technical data on the last page.
ORIGIN:	Turkey
VARIATION:	



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint. Visit<u>http://www.skheme.com/Conditions.aspx</u> for all disclaimer, copyright and terms and conditions.


Tecnica

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm	MATT	P3 Pendulum + R10	NON-RECTIFIED
300x300mm	MATT	P3 Pendulum + R10	NON-RECTIFIED
100x100mm	MATT MOSAIC	P5 Pendulum + R11	NON-RECTIFIED
200x200mm	TEXTURED	P4 Pendulum + R12	NON-RECTIFIED
300x300mm	TEXTURED	P4 Pendulum + R12	NON-RECTIFIED
200x200mm	DIAMOND	R13+ V4	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED

FORMATS





CHARCOAL



DIAMOND

MATT

TEXTURED



Tecnica Fine


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm 300x300mm		P3 Pendulum + R10 P3 Pendulum + R10	NON-RECTIFIED NON-RECTIFIED
100x100mm	MATT MOSAIC	P5 Pendulum + R11	NON-RECTIFIED
200x200mm	TEXTURED	P4 Pendulum + R12	NON-RECTIFIED
200x200mm	DIAMOND	R13+ V4	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED

FINE BLACK




FORMATS



200x200MM 300x300MM DIAMOND

MATT

TEXTURED




Tecnica Mono

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
200x200mm	MATT	P3 Pendulum + R10	NON-RECTIFIED
300x300mm	MATT	P3 Pendulum + R10	NON-RECTIFIED
100x100mm	MATT MOSAIC	P5 Pendulum + R11	NON-RECTIFIED
100x200mm	MATT COVE	-	NON-RECTIFIED


MONO BLACK



FORMATS



100x100MM



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

Tecnica

	technical characteristics	test method	required values	value
۵ ۵ ۵ ۵ ۵	water absorption	iso 10545-3	≤ 0,5 %	≤ 0,5% (Approx. 0,05%)
	frost resistance	iso 10545-12	no alterations	resistant
٥ĉ	breaking strength (S)	iso 10545-4	Min. 1300N For thickness≥ 7,5mm Min. 700N For thickness<7,5mm	>700N (100x100mm) >1300N (200x200mm +300x300mm)
±∎	thermal shock resistance	iso 10545-9	test method available	resistant
2	stain resistance	iso 10545-14	test method available	class 3

ENVIRONMENTAL CERTIFICATION





ISO:14001 2004