

Farrago



Farrago is an agglomerate made of random mixtures of stone marble chips. It is a versatile product as it can be installed in large commercial projects or private residences.

PRODUCT TYPE: Agglomerate Marble

COLOURS: White, Cream, Grey, Charcoal, Brown and Black

SIZES: 600x600x15mm, 1600x2400x18mm and
133x1200x18mm Profile Plank
Rectified edges

FINISHES/USAGE: Honed Slab+Tile/Wall & floor
Honed Profile Plank/Wall only


AESTHETIC QUALITIES: Soft and versatile tones

TECHNICAL INFO: Supplied materials may vary from
samples.

It is recommended to seal natural stone.

Contact our Sales representatives for
more technical information

VARIATION:




V3

Farrago


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
600x600x15mm	HONED	-	RECTIFIED
1600x2400x18mm	HONED	-	RECTIFIED
133x1200x18mm	HONED	-	RECTIFIED

FORMATS



WHITE HONED





WHITE PROFILE HONED

Farrago

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
600x600x15mm	HONED	-	RECTIFIED
1600x2400x18mm	HONED	-	RECTIFIED
133x1200x18mm	HONED	-	RECTIFIED

FORMATS



CREAM HONED




CREAM PROFILE HONED

Farrago


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
600x600x15mm	HONED	-	RECTIFIED
1600x2400x18mm	HONED	-	RECTIFIED
133x1200x18mm	HONED	-	RECTIFIED

FORMATS



GREY HONED





GREY PROFILE HONED

Farrago


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
600x600x15mm	HONED	-	RECTIFIED
1600x2400x18mm	HONED	-	RECTIFIED
133x1200x18mm	HONED	-	RECTIFIED

FORMATS



133x1200mm
Profile



CHARCOAL HONED




CHARCOAL PROFILE HONED

Farrago


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
600x600x15mm	HONED	-	RECTIFIED
1600x2400x18mm	HONED	-	RECTIFIED
133x1200x18mm	HONED	-	RECTIFIED

FORMATS



133x1200mm
Profile



BROWN HONED





BROWN PROFILE HONED

Farrago

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
600x600x15mm	HONED	-	RECTIFIED
1600x2400x18mm	HONED	-	RECTIFIED
133x1200x18mm	HONED	-	RECTIFIED

FORMATS









BLACK HONED



BLACK PROFILE HONED

TECHINCAL DATA

Technical Characteristic	Test Method	Result
 Water Absorption	ISO 10545-3	0.02-0.1%
 Compressive Strength	ISO 10545-4	120-140Mpa
 Abrasion Resistance	ISO 10545-6	25-35mm
 Linear thermal expansion	ISO 10545-8	6-14 x 10 (-6/°C)
 Flexural Strength	ISO 10545-4	26-35Mpa
 Apparent Density	ISO 10545-2	2500-2600 kg/m3

Farrago



Farrago



Farrago

