



Organic and rustic, VECCHIO series is a cement composite tile that displays rough, undulated edges.

PRODUCT TYPE: Cement Composite tiles

COLOURS: White, Taupe, Nude, Concrete and

Charcoal

SIZES: 100x100mm and 40x240mm

Non-Rectified edges

FINISHES/USAGE: Natural/Wall Only

AESTHETIC QUALITIES: Rough undulated edges

TECHNICAL INFO Due to the manufacturing process and

inherent irregularities of the product, Vecchio is sold per covered M2 and

sizes are nominal.

Vecchio should be grouted using sand/cement grout and is suitable for external and wet areas once it is fully sealed prior and post grouting with sealer such as Dry Treat Stainproof

Original

More information on last page.

VARIATION:



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint. Visit http://www.skheme.com/Conditions.aspx for all disclaimer, copyright and terms and conditions.



PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	NATURAL	-	NON-RECTIFIED
40x240mm	NATURAL	-	NON-RECTIFIED

FORMATS

100x100MM

40X240MM

WHITE



NATURAL CLEFT

TAUPE



NATURAL CLEFT



PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	NATURAL	-	NON-RECTIFIED
40x240mm	NATURAL	-	NON-RECTIFIED

FORMATS

100x100MM

40X240MM

NUDE



NATURAL CLEFT

CONCRETE



NATURAL CLEFT



PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	NATURAL	-	NON-RECTIFIED
40x240mm	NATURAL	-	NON-RECTIFIED


FORMATS

100x100MM

40X240MM

CHARCOAL





NATURAL CLEFT



TECHINCAL DATA

1	technical characteristics	test method	result
۵ ۵ ۵ ۵ ۵	water absorption	EN ISO 10545-3	1,58 pass
*	surface quality	EN ISO 10545-2	100% pass
66	breaking strength (S)	EN ISO 10545-4	4,3 pass
	abrasion resistace	EN ISO 10545-7	19,8 pass
	resistance to frost	EN ISO 10545-12	fully resistant