


Jolie



PRODUCT TYPE: Glazed porcelain

COLOURS: Bone, Silver, Nude, Sage, Dark Blue and Charcoal

SIZES: 150x150mm
Rectified edges


FINISHES/USAGE: Matt/Wall and Floor

TECHNICAL INFO P3 Pendulum slip rating
More data located on last page

AESTHETIC QUALITIES: Soft colours and geometric patterns

ORIGIN: Italy

VARIATION:



V1

Imported from Italy, JOLIE series bring a sense of fun and colour. Suitable for floors and walls, JOLIE allows for creative pattern-making and mixing of colours.

Jolie


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
-------	----------	--------------	-----------

150x150mm	MATT	P3 Pendulum	RECTIFIED
-----------	------	-------------	-----------

* Indent item - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.

FORMATS



JOLIE NUDE MATT




JOLIE SAGE MATT




JOLIE DARK BLUE MATT



JOLIE NUDE BAND MATT



JOLIE SAGE ARC MATT



JOLIE DARK BLUE PARQUET MATT

Jolie


PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
-------	----------	--------------	-----------

150x150mm	MATT	P3 Pendulum	RECTIFIED
-----------	------	-------------	-----------

* Indent item - Jolie Silver Band Matt is subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may


FORMATS



JOLIE SILVER MATT




JOLIE BONE MATT




JOLIE CHARCOAL MATT









JOLIE SILVER BAND MATT*



JOLIE CHARCOAL ARC MATT



JOLIE CHARCOAL PARQUET MATT

	technical characteristics	test method	result
	water absorbtion	EN ISO 10545-3	Eb ≤ 0,5%
	flexion resistance	EN ISO 10545-4	≥ 35 N/mm2
	frost resistance	EN ISO 10545-12	Guaranteed
	medium ultimate strength	EN ISO 10545-4	≥ 1300 N
	crazing resistance	EN 101	Guaranteed
	chemical resistance	EN ISO 10545-13	Guaranteed (GHAA)