

Casablanca



PRODUCT TYPE: Glazed, colour bodied porcelain

COLOURS: Pearl, Blush, Sky Blue, Grey, Jade, Carbon, Blue, Honey, Deep Blush and Cream

SIZES: 132x132mm and 65x200mm
Non-Rectified Edges


FINISHES/USAGE: Gloss/Wall only

AESTHETIC QUALITIES: Vast colour range with gentle variation

ORIGIN: Spain

TECHNICAL DATA: More information on last page

VARIATION:



V4

Imported from Spain, our Casablanca Series is inspired by Moroccan Zellige tiles. Available in two formats and a variety of colours.


Casablanca

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
132x132mm	GLOSS	-	NON-RECTIFIED
65x200mm	GLOSS	-	NON-RECTIFIED

* Indent item - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.

FORMATS



BLUSH



GLOSS

SKY BLUE




GLOSS

PEARL




GLOSS

JADE



GLOSS

CARBON



GLOSS

GREY



GLOSS


Casablanca

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
132x132mm*	GLOSS	-	NON-RECTIFIED
65x200mm*	GLOSS	-	NON-RECTIFIED

* Indent item - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.

FORMATS



BLUE



GLOSS

HONEY



GLOSS

DEEP BLUSH



GLOSS

CREAM



GLOSS

BRICK FORMAT 65x200mm


Casablanca

PEARL




GLOSS

BLUSH



GLOSS

DEEP BLUSH



GLOSS

CREAM




GLOSS

GREY



GLOSS

JADE



GLOSS

HONEY




GLOSS

SKY BLUE




GLOSS

CARBON




GLOSS








BLUE



GLOSS



Casablanca

	technical characteristics	test method	result
	water absorption	EN ISO 10545-3	> 10 % (BIII)
	modulus of rupture	EN ISO 10545-4	> 12 N/mm ²
	surface quality	EN ISO 10545-2	complies
	breaking strength	EN ISO 10545-4	> 600 N
	abrasion resistance	EN 101	3
	chemical resistance	EN ISO 10545-13	GLA GHB GA
	resistance to thermal shock	EN ISO 10545-9	Guaranteed

Casablanca



Casablanca



Casablanca

