

Meka



PRODUCT TYPE: Glazed Porcelain

COLOURS: Bone, Bone Decor, Bone Mix Decor, Grey, Grey Decor, Fern, Fern Decor, Sapphire, Sapphire Decor, Terracotta, Terracotta Decor, Charcoal and Charcoal Decor

SIZES: 100x100mm plain and 200x200mm decor
Non-Rectified edges


FINISHES/USAGE: Matt/ Wall and Floor

AESTHETIC QUALITIES: Reinterpretation of Italian handmade cement tiles

ORIGIN: Italy

TECHINICAL INFO: P3 Pendulum Slip Rating (Matt)
More technical info on the last page

VARIATION:



V4

Imported from Italy, MEKA Series is a stoneware reinterpretation of Italy's traditional handmade cement tiles. Featuring both plain colours and complimenting decor patterns , MEKA utilises the mix of colour shades to create an alternating tonal effect with slip resistance finish.



Meka

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	MATT	P3 Pendulum	RECTIFIED
200x200mm	MATT	P3 Pendulum	RECTIFIED

*Please note - The plain colours are only available in the 100x100mm format and the decor pattern colours are available in 200x200mm

FORMATS



BONE MATT



BONE DECOR MATT



BONE MIX DECOR MATT



GREY MATT



GREY DECOR MATT


Meka

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	MATT	P3 Pendulum	RECTIFIED
200x200mm	MATT	P3 Pendulum	RECTIFIED

*Please note - The plain colours are only available in the 100x100mm format and the decor pattern colours are available in 200x200mm

FORMATS



FERN MATT



FERN DECOR MATT



SAPHIRE MATT



SAPHIRE DECOR MATT



Meka

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
100x100mm	MATT	P3 Pendulum	RECTIFIED
200x200mm	MATT	P3 Pendulum	RECTIFIED

*Please note - The plain colours are only available in the 100x100mm format and the decor pattern colours are available in 200x200mm

FORMATS




TERRACOTTA MATT



TERRACOTTA DECOR MATT



CHARCOAL MATT




CHARCOAL DECOR MATT

Meka











Meka



Meka



TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	Eb ≤0,5 (Individual maximum value 0,6%)
	modulus of rupture	ISO 10545-4	≥35	R ≥35 (Individual minimum value 32 N/mm2)
	surface quality	ISO 10545-2	Complies with the standards	≥95%
	breaking strength	ISO 10545-4	≥1300	≥1300
	deep abrasion resistance	ISO 10545-6	120-150	≤175
	chemical resistance	ISO 10545-13	Class A	B Minimum
	resistance to frost	ISO 10545-12	Resistant	Pass
	staining resistance	ISO 10545-14	Minimum class 3	Pass