

# Casablanca



**PRODUCT TYPE:** Ceramic Wall Tile

**COLOURS:** Pearl, Blush, Sky Blue, Grey, Jade, Carbon, Blue, Honey, Deep Blush and Cream

**SIZES:** 132x132mm and 65x200mm  
Non-Rectified Edges


**FINISHES/USAGE:** Gloss/Wall only

**AESTHETIC QUALITIES:** Vast colour range with organic variation

**ORIGIN:** Spain

**TECHNICAL DATA:** More information on last page

**VARIATION:**



V4

Imported from Spain, our Casablanca Series is inspired by Moroccan Zellige tiles. Available in two formats and a variety of colours.

# Casablanca

## PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
132x132mm	GLOSS	-	NON-RECTIFIED
65x200mm	GLOSS	-	NON-RECTIFIED



BLUSH GLOSS





SKY BLUE GLOSS




PEARL GLOSS

## FORMATS



JADE GLOSS



CARBON GLOSS



GREY GLOSS



# Casablanca

## PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATINGS	TILE EDGE
132x132mm*	GLOSS	-	NON-RECTIFIED
65x200mm*	GLOSS	-	NON-RECTIFIED

\* Indent item - Subject to stock availability overseas, please allow 10-12 weeks lead time from date of order confirmation. Minimum quantity may apply.

## FORMATS



BLUE GLOSS



HONEY GLOSS



DEEP BLUSH GLOSS



CREAM GLOSS



# Casablanca

## BRICK FORMAT 65x200mm



PEARL GLOSS



BLUSH GLOSS




DEEP BLUSH GLOSS



CREAM GLOSS



GREY GLOSS



JADE GLOSS




HONEY GLOSS




SKY BLUE GLOSS



CARBON GLOSS



BLUE GLOSS





# Casablanca





# Casablanca










# Casablanca



TECHNICAL DATA

Casablanca

	technical characteristics	test method	result
	water absorbtion	EN ISO 10545-3	> 10 % (BIII)
	modulus of rupture	EN ISO 10545-4	> 12 N/mm2
	surface quality	EN ISO 10545-2	complies
	breaking strength	EN ISO 10545-4	> 600 N
	abrasion resistance	EN 101	3
	chemical resistance	EN ISO 10545-13	GLA   GHB   GA
	resistance to thermal shock	EN ISO 10545-9	Guaranteed

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017\* For more information please refer to: <https://www.safework.nsw.gov.au>

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.



# Casablanca

## ENVIRONMENT CERTIFICATIONS

---

**LEED**, **BREEAM** and **VERDE** are green building certification systems, which assess buildings as opposed to products. When products from Equipe Cerámicas are used in building projects, they can contribute to the achievement of a certain rating for that building by obtaining more points than other alternative products.

With these green certification systems (**LEED**, **BREEAM** and **VERDE**) third-party checks are conducted and successful building projects are certified as having been designed and built using strategies conceived to improve on key environmental aspects of their design, such as energy saving, efficient water consumption, a reduction in CO2 emissions, improvements to the building's indoor environmental quality, the use of recycled materials, the use of local raw materials close to the production plant so as to cut down on transport etc.

Equipe Cerámicas products are designed to help architects obtain certain points or credits awarded by these green certification systems, thus facilitating the materials specification process.

Equipe Cerámicas products can be used to obtain **LEED**, **BREEAM** or **VERDE** points in different categories of the rating systems, depending on their use:

- Recycled material content
- Easy to care for, with no need for aggressive chemical substances.
- Water consumption. (e.g. using a tile with an impervious surface on terraces, roofs or facades to collect rainwater, or using a product that is easy to care for since it will require less water for cleaning purposes).

